

according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Astasol AN7035N

Substance / mixture mixture
Number AN7035N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use of the mixture Laboratory chemicals. For professional use only.

The use descriptors

SU 24 Scientific research and development

PC 21 Laboratory chemicals

Not recommended use of the mixture not available

1.3 Details of the supplier of the safety data sheet

Manufacturer

Phone

Fax

Name or trade name Analytika s.r.o.

Address Ke Klíčovu 2a/816, Praha, 190 00

Czech Republic +420 286 589 616 +420 286 589 616 sales@analytika.net

E-mail sales@analytika.net
Web address www.analytika.net

Competent person responsible for the safety data sheet

Name Analytika s.r.o.
E-mail sales@analytika.net

1.4 Emergency telephone number

Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1A, H314

Full text of all classifications and H-phrases is given in the section 16.

The most serious adverse physico-chemical effects

May be corrosive to metals.

The most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage.

2.2 Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

nitric acid

Standard hazardous statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision 1

Instructions for safe handling

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization

Mixture of substances specified below and additives.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Name of the substance	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 007-004-00-1 CAS: 7697-37-2 EC: 231-714-2	nitric acid		Ox. Liq. 2, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314	1, 2, 3
CAS: 7631-99-4 EC: 231-554-3	sodium nitrate		Ox. Sol. 3, H272 Eye Irrit. 2, H319	

Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 Substance for which exposure limits of Community for working environment exist.
- 3 The substance with a specific concentration limit

Full text of all classifications and H-phrases is given in the section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this Safety Data Sheet.

Inhalation

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Skin contact

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers.

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

Ingestion

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation

Inhaling vapours can cause corrosion of the breathing system. Not expected.

Skin contact

Causes severe skin burns.

Eve contact

Causes serious eye damage.

Ingestion

Corrosion of the digestion system can occur. Irritation, nausea.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist

Unsuitable extinguishing media

water - full jet

5.2 Special hazards arising from the substance or mixture

Fire potential develop carbon monoxide and dioxide and other toxic gases. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3 Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

The mixture is non-flammable. Provide sufficient ventilation. Use gloves in case of prolonged contact. Follow the instructions in Sections 7 and 8.

6.2 Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3 Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per Section 13. Collected material should be disposed of in accordance with locally valid regulations. Upon an escape of large quantities of the product, inform the Fire Department and the Environmental Department of the Municipal Authority with extended scope of competencies. After removal of the product, wash the contaminated site with plenty of water or another suitable cleaning material. Do not use solvents.

6.4 Reference to other sections

7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision 1

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. No smoking. Protect against direct sunlight. Do not inhale gases and vapours. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight.

Storage class

Material of package

8B - Non-combustible corrosive substances HDPE (2), High-density (linear) polyethylene (Plastics)



HDPE

7.3 Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Name of the substance (component)	71	Time of exposure	Value	Note	Source
nitric acid (CAS: 7697-37-2)	OEL	8 hours	- mg/m³		directive EU
	OEL	Short-term	2,6 mg/m ³		
	OEL	Short-term	1 ppm		

8.2 Exposure controls

Follow usual measures for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant against the product. Observe recommendations of the particular manufacturer of the gloves in the choice of their appropriate thickness, material and permeability. Use barrier creams for skin protection, they should however not be applied once exposure has occurred. Observe other recommendations of the manufacturer. Other protection: Protective clothing made of natural fibres (cotton) or synthetic fibres resistant against elevated temperatures. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter or a self-contained breathing apparatus as appropriate if exposure limit values of toxic substances are exceeded or in a poorly ventilated environment.

Thermal hazard

not available

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision 1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

liquid at 20°C Physical state color data not available Odour data not available Odour threshold data not available рΗ 1 (undiluted) Melting point/freezing point data not available Initial boiling point and boiling range data not available Flash point data not available Evaporation rate data not available Flammability (solid, gas) data not available

Upper/lower flammability or explosive limits

flammability limits data not available explosive limits data not available Vapour pressure data not available Vapour density data not available Relative density data not available

Solubility(ies)

solubility in water soluble

solubility in fats data not available
Partition coefficient: n-octanol/water data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
Viscosity data not available
Explosive properties data not available
Oxidising properties data not available

9.2 Other information

Density data not available auto-ignition temperature data not available

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture is non-flammable.

10.2 Chemical stability

The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

The product is stable under normal conditions.

10.4 Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5 Incompatible materials

Protect against strong acids, bases and oxidizing agents. Thereby a dangerous exothermic reaction will be prevented.

10.6 Hazardous decomposition products

Not developed under normal uses. Dangerous products are formed at high temperature and in fire, such as carbon monoxide and carbon dioxide, heavy smoke and nitrogen oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No toxicological data is available for the mixture.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

Acute toxicity

Based on available data the classification criteria are not met.

nitric acid

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Inhalation	LC 50	260 mg/m ³	30 min	Rat	

sodium nitrate

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD 50	3430 mg/kg		Rat	
Dermal	LD 50	5000 mg/kg		Rat	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

sodium nitrate

Route of exposure	Result	Method	Time of exposure	Species
Dermal	Not irritating	OECD 404		Rabbit

Serious eye damage/irritation

Based on available data the classification criteria are not met.

sodium nitrate

Route of exposure	Result	Method	Time of exposure	Species
Eye	Irritating	OECD 405		Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

nitric acid

	Parameter	Value		Specific target organ	Result	Species	Sex
Evolution toxicity	TDLo	21150 mg/kg	21 day	Fetus	Fetotoxicity	Rat	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

The product contains no substances with an effect against active action of microorganisms.

nitric acid

Parameter	Value	Time of exposure	Species	Environment	Source
LD 50	100-10 mg/l	96 hour			medisalarm
LC 100	25-36 mg/l		Fishes		medisalarm
TLm	72 mg/l	96 hour	Fishes (Gambusia affinis)	Freshwater	
LC 100	36 mg/l		Fishes (Lepomis macrochirus)		
LC 50	33-100 mg/l	48 hour	Aquatic invertebrates (Ophryotrocha diadema)	Salt water	

12.2 Persistence and degradability

The product is not biodegradable.

12.3 Bioaccumulative potential

Insignificant.

12.4 Mobility in soil

The product is soluble and mobile in water and soil. Contamination of water courses may occur in case of rain.

12.5 Results of PBT and vPvB assessment

The product is not classified as PBT or vPvB.

12.6 Other adverse effects

not available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Code of type of waste

20 01 14 acids

Code of type of waste packaging

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

UN 2031

14.2 UN proper shipping name

NITRIC ACID

14.3 Transport hazard class(es)

8 Corrosive substances

14.4 Packing group

II - substances presenting medium danger

14.5 Environmental hazards

not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

14.6 Special precautions for user

Reference in Sections 4 to 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

The hazard identification number

UN number

Classification code Safety signs 80 (Kemler Code)

2031 C1

0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act).

15.2 Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Guidelines for safe handling used in the safety data sheet

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

A list of additional standard phrases used in the safety data sheet

EUH 071 Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision 1

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

Ems Emergency plan

ES Identification code for each substance listed in EINECS

EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

IC50 Concentration causing 50 % blockade ICAO International Civil Aviation Organization

IMDGInternational Maritime Dangerous Goods TransportINCIInternational Nomenclature of Cosmetic IngredientsISOInternational Organization for StandardizationIUPACInternational Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level Log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

MFAG First Aid Manual

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level

NOEC No observed effect concentration

NOEL No observed effect level

OEL Occupational Exposure Limits
PBT Persistent, Bioaccumulative and Toxic

PEL Permissible Exposure Limit
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of chemicals (EP and Council Regulation

(EC) No 1907/2006)

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

w/w Weight by weight

Eye Irrit. Eye irritation

Met. Corr. Corrosive to metals

Ox. Liq. Oxidising liquid

Skin Corr. Skin corrosion

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet



according to Regulation (EC) No 1907/2006 (REACH) as amended

Astasol AN7035N

Date of creation 05. December 2016 Revision no.

Date of revision Version 1

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.