

Product datasheet

Captair 832 Midcap

Ductless filtering chemical storage cabinets

Safer to operate

- Exclusive Erlab filtration technology
- Filtration performances tested in accordance with AFNOR NF X 15 211
- Secured storage
- Erlab Safety Program: be guided for the right choice of your secured storage solutions

Flexibility

- Possible configuration:
Double doors and shelves
- Easy and fast relocation

Savings

- No ductwork cost
- Annual energy cost < 35 €
- Low replacement filter cost

Environment

- Pollutants filtered at source




Ask for the
highest level of
filtration
performances




Download our
eGuard application




Double doors with shelves



Storage capacity:
120 x 1L glass bottles



Shelf with integrated retention tray



Technical specifications

Safety Standards	Filtration performances tested according to the AFNOR NF X 15-211:2009 standard : France EN 1822 : 1998 (HEPA H14) - CE Marking
Air Flow	70 m³/h
Voltage/Frequency	80 - 220 V / 50-60 Hz
Power consumption	35W
Structure	Corrosion resistant electro-galvanized steel coated with anti-acid polymer
Doors	Clear, chemical resistant acrylic for easy viewing
Filtration Module	Polypropylene

Equipments

Carbon filtration	AS : For organic vapours - BE : acid vapours F : For formaldehyde vapours - K : For ammonia vapours
Particulate filtration for powders	HEPA H14:99.995 % efficiency filtration of particles over 0.1 µm in size
Chemical Listing	List of approved chemicals

Storage configurations

	Double doors with shelves
Storage capacities	120 x 1L glass bottles
Storage compartments	2
Delivered with	10 movable shelves with integrated retention tray
Absorbing mats	2
Lock	Key lock



Erlab's state of the art Research & Development Laboratory relies exclusively on filtration

About Erlab

We provide safety, we protect your health

Erlab invented the ductless fume hood in 1968. With more than 50 years of experience in the field of chemical filtration and protection of laboratory personnel; we know the formula for safety. With Erlab, you will never have to wonder or worry if our products are safe. We build each one of the following 7 ingredients into our products, and without all of them, your health and safety will be compromised.

1 Erlab R&D Laboratory

The engineers and chemists in our state-of-the-art R&D laboratory understand molecular filtration. We are committed to designing products that are safe and of the highest quality, strive to improve our products, and continuously develop new products that provide greater protection in the laboratory.

2 Strict Safety Standards

We hold ourselves to the highest standard and adhere to the strict AFNOR NF X 15-211: 2009 filtration safety standard as endorsed by ANSI Z9.5-2012.

3 A Published Chemical Listing

It all begins here. Without this listing, we are not compliant with AFNOR NFX 15-211. Our in-house laboratory tests, as well as independent testing, to verify the retention capacity of over 700 chemicals for our filters.

4 Independent Testing

Erlab filters have been independently tested multiple times at various concentrations guaranteeing that our safety solutions all adhere to the strict performance criteria of the AFNOR NF X 15-211:2009 standard assuring that the emission concentration at the filter exhaust will always be lower than 1% of the TLV.

5 Application Questionnaire (Valiquest)

Our laboratory specialists will recommend the appropriate filtration fume hood, type of filter, and personalized advice.

6 Certificate of Validation for the chemicals used in the hood

A certified PhD chemist issues a Certificate of Validation with a list of the chemicals approved for use in the hood.

7 Our Safety Program

We back up our products 100%. This program includes your specialized chemical evaluation, validation of your hood upon installation, and a filtration safety specialist at your service to ensure that your hood is operating to its full potential.

France
+33 (0) 2 32 09 55 80 | ventes@erlab.net

United States
+1 800-964-4434 | captairsales@erlab.com

China
+86 (0) 512 5781 4085 | sales.china@erlab.com.cn

Spain
+34 936 732 474 | export.south@erlab.net

Germany
0800 330 47 31 | export.north@erlab.net

United Kingdom
+44 (0) 1722 341 940 | export.north@erlab.net

Italy
+39 (0) 2 89 00 771 | export.south@erlab.net