		SAFETY I	DATA SHEE	l 🕲 analytika			
	aco	cording to Regulation (a	EC) No 1907/2006 (R mended	÷ ,			
		Astaso	I AN7067N				
Creat	ion date	09th May 2022					
Revis	ion date		Version	1.0			
SECT	ION 1: Identificat	ion of the substance	e/mixture and of the	e company/undertaking			
1.1.	Product identifie	r	Astasol AN7067	'N			
	Substance / mixtu	re	mixture				
	Number		AN7067N				
	UFI		413R-RJHW-PN	AC-A2YG			
1.2.	Relevant identifi	ed uses of the subst	ance or mixture and	uses advised against			
	Mixture's intende	ed use					
		e only. Laboratory che	emical substances.				
	Main intended us	-					
	PC-TEC-19	•	aboratory chemicals				
	The use descript						
	SU 24		rch and development				
	PC 21	Laboratory che	micals				
	Mixture uses advised against						
		not be used in ways		red in Section 1.			
1.3.		pplier of the safety o	lata sheet				
	Manufacturer						
	Name or trade	e name	Analytika, spol.				
	Address			'2a, Praha 9 - Vysočany, 190			
			Czech Republic				
		number (CRN)	14891883				
	VAT Reg No		CZ14891883				
	Phone		+420 286 589				
	E-mail		msds@analytik				
	Web address		www.analytika.	net			
		on responsible for th	_				
	Name		Analytika, spol.				
1 /	E-mail	hana numhar	msds@analytik	a.net			
1.4.	5 / 1						
	European emerger	icy number: 112					
SECT	ION 2: Hazards id	entification					

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1B, H314

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

May be corrosive to metals.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

2.2. Label elements Hazard pictogram



Signal word Danger

Hazardous substances nitric acid Hazard statements	S			
H290	May be corrosive to metals.			
H314	Causes severe skin burns and eye damage.			
Precautionary statem	ents			
P260	Do not breathe vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a doctor.			
Supplemental information				

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 007-004-00 -1 CAS: 7697-37-2 EC: 231-714-2 Registration number: 01-2119487297- 23-0070	nitric acid	2	Ox. Liq. 2, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 Acute Tox. 3, H331 EUH071 Specific concentration limit: Skin Corr. 1A, H314: C \geq 20 % Skin Corr. 1B, H314: 1 % \leq C < 20 % Ox. Liq. 2, H272: C \geq 99 % Ox. Liq. 3, H272: 65 % \leq C < 99 % Met. Corr. 1, H290: C \geq 1 % ATE Inhalation (vapor) = 2,65 mg/l	1, 2

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date

Version

1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

09th May 2022

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin


Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.



amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

analytika

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

More information

Other relevant information is not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. Unsuitable extinguishing media Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

The mixture is non-flammable. May be corrosive to metals. Provide sufficient ventilation. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date

Version

1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

09th May 2022

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep only in original packaging.

Content	Packaging type	Material of package
30 ml	bottle	HDPE
50 ml	bottle	HDPE
100 ml	bottle	HDPE
250 ml	bottle	HDPE
500 ml	bottle	HDPE

Storage class

8B - Non-combustible corrosive substances

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
nituia agid (CAC) 7607 27 2)	OEL 15 minutes	2,6 mg/m ³
nitric acid (CAS: 7697-37-2)	OEL 15 minutes	1 ppm

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

Respiratory protection

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	1 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
data not available	
Other information	

none

9.2.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is non-flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

The product is stable under normal conditions.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date

Version

1.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. Thereby a dangerous exothermic reaction will be prevented. May be corrosive to metals.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide, heavy smoke and nitrogen oxides are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

09th May 2022

Acute toxicity

Based on available data the classification criteria are not met.

nitric acid

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Inhalation	LC50	260 mg/m ³	30 min	Rat	
Inhalation (vapor)	ATE	2,65 mg/l			

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

nitric acid

Effect	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex
Developme ntal toxicity	TDLo	21150 mg/kg	21 day	Fetus	Fetotoxicit y	Rat	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date

09th May 2022

Version

1.0

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

n	İ	tı	ri	C	а	С	id	

Parameter	Value	Time of exposure	Species	Environme nt	Source
LD50	100-10 mg/l	96 hour			medisalar m
LC 100	25-36 mg/l		Fishes		medisalar m
TLm	72 mg/l	96 hour	Fishes (Gambusia affinis)	Freshwate r	
LC 100	36 mg/l		Fishes (Lepomis macrochirus)		
LC50	33-100 mg/l	48 hour	Aquatic invertebrates (Ophryotrocha diadema)	Salt water	

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects Data not available.

ita not avallable

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date

Version

1.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

09th May 2022

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

20 01 14 Acids *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances * (*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

- **14.1. UN number or ID number** UN 2031
- 14.2. UN proper shipping name NITRIC ACID
- 14.3. Transport hazard class(es)
 - 8 Corrosive substances
- 14.4. Packing group
 - II substances presenting medium danger
- 14.5. Environmental hazards


not relevant

14.6. Special precautions for user Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No. UN number Classification code Safety signs





according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Product contains reportable explosives precursors: Reporting of substances transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard r	isk phrases used in the safety data sheet
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
Guidelines for safe	handling used in the safety data sheet
P260	Do not breathe vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
A list of additional	standard phrases used in the safety data sheet
EUH071	Corrosive to the respiratory tract.
Other important in	formation about human health protection
	ot be - unless specifically approved by the manufacturer/importer - used han as per the Section 1. The user is responsible for adherence to all tion regulations.
Key to abbreviatio	ns and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation 1.1					
Creation date Revision date	09th May 2022 Version 1.0				
CLP	Regulation (EC) No 1272/2008 on classification, labelling and				
ETHEOD	packaging of substance and mixtures				
EINECS European Inventory of Existing Commercial Chemical Su					
EmS Emergency plan					
ES	Identification code for each substance listed in EINECS				
EU	European Union				
EuPCS	European Product Categorisation System				
IATA	International Air Transport Association				
IBC	International Code For The Construction And Equipment of Ships				
1010	Carrying Dangerous Chemicals				
ICAO	International Civil Aviation Organization				
IMDG	International Maritime Dangerous Goods				
INCI	International Nomenclature of Cosmetic Ingredients				
ISO	International Organization for Standardization				
IUPAC	International Union of Pure and Applied Chemistry				
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population				
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population				
log Kow	Octanol-water partition coefficient				
MARPOL	International Convention for the Prevention of Pollution from Ships				
OEL	Occupational Exposure Limits				
PBT	Persistent, Bioaccumulative and Toxic				
ppm	Parts per million				
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals				
RID	Agreement on the transport of dangerous goods by rail				
UN	Four-figure identification number of the substance or article taken				
	from the UN Model Regulations				
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials				
VOC	Volatile organic compounds				
vPvB	Very Persistent and very Bioaccumulative				
Acute Tox.	Acute toxicity				
Met. Corr.	Corrosive to metals				
Ox. Liq.	Oxidising liquid				
Skin Corr.	Skin corrosion				
Training guidel	ines				

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet



according to Regulation (EC) No 1907/2006 (REACH) as

amended

Astasol AN7067N

Creation date Revision date 09th May 2022

Version

1.0

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.